What people living with HIV need to know about HIV and COVID-19

COVID-19 is a serious disease and all people living with HIV should take all recommended preventive measures to minimize exposure to, and prevent infection by, the virus that causes COVID-19.

It's important to underline that there is currently no strong evidence that people living with HIV are at an especially increased risk of contracting COVID-19 or if they do contract it they will experience a worse outcome. This does not mean that people living with HIV should take COVID-19 lightly and they must take all precautions to protect themselves.

As in the general population, older people living with HIV or people living with HIV with heart or lung problems may be at a higher risk of becoming infected with the virus and of suffering more serious symptoms.

As COVID-19 continues to spread around the world, it will be important for ongoing research in settings with a high prevalence of HIV in the general population to shed more light on the biological and immunological interactions between HIV and the new coronavirus.



Precautions that people living with HIV and key populations should follow to prevent COVID-19 infection

Stay safe

- Clean hands frequently with soap and water (for 40–60 seconds) or an alcohol-based hand sanitizer (for 20–30 seconds).
- Cover your mouth and nose with a flexed elbow or tissue when coughing or sneezing. Throw the tissue away after use.
- Practice social distancing and maintain at least 1 metre distance between yourself and others and especially with anyone who is coughing or sneezing.
- Stay home when you are ill.
- If you are experiencing fever, a cough and difficulty breathing and have recently travelled to, or are a resident in, an area where COVID-19 is reported, you should seek medical care immediately from your community health service, doctor or local hospital. Before you go to a doctor's office or hospital, call ahead and tell them about your symptoms and recent travel.
- If you are ill, wear a medical mask and stay away from others.

Stay informed

NEWS

 Know the facts about COVID-19 and always check a reliable source, such as the World Health Organization: https:// www.who.int/vietnam/vi or https://www.facebook.com/ WHOinVietnam/

Be prepared

- You should have a supply of your necessary medical supplies on hand—ideally for 30 days or more. The national HIV treatment guideline recommends multi-month dispensing of 90 days of HIV medicines for PLHIV who are in good adherence and have stable viral load suppression. All PLHIV on treatment are eligible for 60 days of HIV medicines in the context of the covid-19 outbreak. Please check the latest Ministry of Health guidelines on HIV medicine dispensing at http://vaac.gov.vn/ or with your doctor.
- Know how to contact your clinic by telephone in the event that you need advice.
- Know how to access treatment and other supports within your community.

This treatment could include antiretroviral therapy, tuberculosis medication (if on tuberculosis treatment) and any other medication for other illnesses that you may have.

 Key populations, including people who use drugs, sex workers, gay men and other men who have sex with men, and transgender people, should ensure that they have essential means to prevent HIV infection, such as sterile needles and syringes and/or opioid substitution therapy, condoms and pre-

exposure prophylaxis (PrEP). Adequate supplies of other medications, such as contraception and gender-affirming hormone therapy, should also be obtained.

Not all countries have implemented policies to allow for longer prescriptions.
Be in touch with your health-care provider as early
possible. Should you face disruption of access to HIV
services, please reach out to the local AIDS authority or
the Viet Nam Authority for HIV/AIDS Control or one of
the community networks so that a solution can be found
as soon as possible.

- Discuss with your network of family and friends how to support each other in the event that further measures beyond social distancing are put in place. Make alternate arrangements within your community for food, medicines, care for children or pets, etc.
- Help others in your community and ensure that they also have an adequate supply of essential medicines.
- Check that you know how to reach your local network of people living with HIV by electronic means. Make a plan for telephone and for social media connections in the event that public health measures call for people to stay home or if you become ill.

Support yourself and people around you

• The outbreak of COVID-19 may cause fear and anxiety—everyone is encouraged











to take care of themselves and to connect with loved ones. People living with HIV and their communities have decades of experience of resilience, surviving and thriving, and can draw on their rich shared history to support their families and communities in this current crisis. Pay particular attention to your mental health by:

- > Avoiding excessive exposure to media coverage of COVID-19. Only read information from trusted sources.
- > Taking care of your body. Take deep breaths, stretch or meditate. Try to eat healthy, well-balanced meals, exercise regularly, get plenty of sleep and, where possible, avoid alcohol and drugs.
- Making time to unwind and reminding yourself that negative feelings will fade. Take breaks from watching, reading or listening to news stories—it can be upsetting to hear about the crisis repeatedly. Try to do some other activities you enjoy in order to return to your normal life.
- Connecting with others. Share your concerns and how you are feeling with a friend or family member.



Stop stigma and know your rights

• Stigma and discrimination is a barrier to an effective response to COVID-19. This is a time where racism, stigma and discrimination can be directed against groups considered

to be affected.

Your workplace, access to health care or access to education, for you or your children, may be affected by the COVID-19 outbreak if social distancing or further limitation measures are put in place in your community.
 Find out your rights and make sure that you and your community are prepared.

Treatment of





 Treatment of COVID-19 is a very active area of global research including several randomized clinical trials exploring all options. However, it is too early to say which medicines are effective in treating COVID-19. Let's rely on the evidence and any update confirmed by the World Health Organiztion.

